

Industrial Wastewater Pretreatment Monitoring Report

Sampling Point #2 (Part 1, A&B)

Milbank Mfg

Year 01 Month July

Date	Flow	pH	Cd	Cr	Cu	Ni	Ag	Pb	Zn	Mo	TTO	Phenol	CN	TPH	FOG	NH3	CBOD	COD	TSS
1																			
2	1140	9.56																	
3																			
4																			
5																			
6																			
7																			
8																			
9																			
10	1840	9.52																	
11	2180	9.55																	
12	2810	9.76							2,050	2,020						2.3	52	<500	140
13																			
14																			
15																			
16	2230	9.82																	
17																			
18																			
19	940	9.46																	
20	2410	9.42																	
21																			
22																			
23	2420	9.70																	
24	2600	9.78																	
25	2450	9.84																	
26																			
27																			
28																			
29																			
30	750	9.50																	
31	2330	9.43																	
Daily LIMIT	N/A	N/A	.02	2.0	.6	.8	.24	.1	1.25	N/A	2.13	.5	.5	N/A	100	N/A	N/A	N/A	N/A
Average	2008	9.61							<.050	<.020						2.3	52	<500	140
Maximum	2810	9.84							<.050	<.020						2.3	52	<500	140
Minimum	750	9.42							<.050	<.020						2.3	52	<500	140

Total Flow 24100

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is, true, accurate and complete. I am aware there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

Richard Tyler
Authorized Company Representative

DATE July 15, 2001

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

07/25/2001

Job Number: 01.03684

Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: MONTHLY WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Time Taken	Date Received
297910	MONTHLY - COMP	07/12/2001	14:30	07/13/2001

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

TestAmerica Incorporated-Indianapolis Division is in compliance with the National Environmental Laboratory Accreditation Program (NELAP) Standards.

Reproduction of this analytical report is permitted only in its entirety.



Project Representative

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

07/25/2001

Job No.: 01.03684

Page 2 of 3

Date Received: 07/13/2001

Job Description: MONTHLY WASTEWATER ANALYSIS

Sample Number / Sample I.D.				Sample Date/	Analyst			Reporting
Parameters	Wet Wt. Result	Flag	Units	Date & Time Analyzed	Method		Limit	
297910	MONTHLY - COMP		07/12/2001 14:30					
CBOD - Five Day	52	z	mg/L	rlm 07/18/2001 13:00	EPA 405.1		<5.	
CBOD - Five Day (PREP)	Complete			rlm 07/13/2001 16:30	EPA 405.1		Complete	
COD	<500	d2x10	mg/L	tpd 07/17/2001 09:30	EPA 410.4		<500	
Nitrogen, Ammonia Dist.	2.3		mg/L	cdk 07/19/2001 08:44	EPA 350.1		<0.10	
Solids, Suspended	140		mg/L	mhl 07/18/2001 08:55	EPA 160.2		<5.	
Distillation, Ammonia	Complete			rlm 07/16/2001 13:30			Complete	
Molybdenum, ICP	<0.020		mg/L	400 07/24/2001 05:39	EPA 200.7		<0.020	
Zinc, ICP	<0.050		mg/L	400 07/24/2001 05:39	EPA 200.7		<0.050	

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 3.2 and 0.5 mg/L.

